



11 >

RUNNING TRACK

UNING TRACK




220


RUNNING TRACK

GREEN-BLUE-RED

Running track artificial grass designed for high-performance, providing a smooth, durable surface. Available in green, blue, red, and white for a personalized track layout.



	Product characteristics	Unit of measure	Data	Tolerance
	Pile height	mm	20	+/- 5 %
	Yarn length	mm	46	+/- 5 %
	Gauge		5/16	
	Stitch rate for sqm	nr	25.000	+/- 10 %
	Needles for sdm		12,50	
	Water permeability	l/h for sqm	1000 L/H	
	Total weight	gr/sqm	1.894	+/- 10 %
	Roll width	m	4,10	+/-1,00%
	Rolls length	m	upon request	+/-1,00%
	Yarn characteristics	Unit of measure	Data	Tolerance
	Yarn count	dtex	5.800	+/- 6 %
	Thickness	micron	100	+/- 6 %
	Composition		100% Polyethylene	
	Yarn shape		Straight fibrillated	
	Color		Green,Blue,Red	
	Total yarn weight	gr/sqm	670	+/- 5 %
	Backing characteristics	Unit of measure	Data	Tolerance
	Primary backing composition (first and second layer)		Polypropylene/Poly-ester	
	Primary backing weight	gr/sqm	184	+/- 6 %
	Coating		LATEX	
	Weight of coating	gr/sqm	1.040	+/- 6 %



Infill recommendations	Unit of measure	Data	Tolerance
Silica sand			
Granulometry	mm	0.295-1	+/- 10 %
Apparent density	gr/cm ³	1,50	+/- 15 %
Friability	%	20,00	
Water permeability	cm/h	>50	
Quantity	kg/sqm	20	+/- 5 %

