



TEST REPORT

Model	SAB-AUTO
Manufacture by	AQUA
Test Category	Hydrostatic Pressure & Compliance Testing

DIRECTIONS

Product: Automatic Filter Valve Controller (Aqua Comfort Touch)

Place of Testing: Aqua Quality Control Center

Date: Periodic re-testing is carried out annually in January to verify continued compliance

PRODUCT INFORMATION

Parameter	Details
Voltage	12 V
IP Rating	50/60 Hz
Max Working Pressure	3 W
Connection	IP68

TECHNICAL SPECIFICATION

Parameter	Value
Mounting	Top/Side
Pressure Switch	30-200 kPa
Sensor Accuracy	±3 kPa
Wash Time	5-120 s
Pump Timer	7 day / 2 cycles
Display	5-inch LCD Touch
Dimensions	290 x 162 x 72 mm
Weight	3 kg

VISUAL INSPECTION

Inspection Item	Result	Remarks
Housing	PASS	Satisfactory
Touch Screen	PASS	Satisfactory
Marking	PASS	Satisfactory
Cable Glands	PASS	Satisfactory

ELECTRICAL VERIFICATION

Inspection Item	Result	Result
Power ON	PASS	Satisfactory
Display	PASS	Satisfactory
Touch Keys	PASS	Satisfactory
Pressure Sensor	PASS	Satisfactory

FUNCTIONAL INSPECTION

Inspection Item	Result	Result
Smart Wash	PASS	Satisfactory
Motorized Rotor	PASS	Satisfactory
Auto Protection	PASS	Satisfactory
Manual Mode	PASS	Satisfactory

PACKING INSPECTION


Inspection Item	Result	Result
Accessories	PASS	Satisfactory
Documentation	PASS	Satisfactory
Packing	PASS	Satisfactory

Conclusion: The AQUA COMFORT TOUCH controller successfully passed visual, dimensional, electrical and functional inspections. The unit operated correctly under factory test conditions and is approved for dispatch.

Result: **PASS.**

Authorized Signature and Company Stamp

AQUA SpA
Via V. Crotti, 1
42018 S. Martino in Rio (RE)
P.I. 02026440350

A handwritten signature in blue ink is written over the company stamp.