

# STABILIZED CHLORINE

## CHLORINE GRANULAR

### ✓ Technical features

- Granular chlorine with 90% concentration
- Reduces chlorine loss during the day
- Reduces algae growth
- Slow dissolving granules for continuous, measured dosing



**Important:** Use biocides safely. Always read the label and product information before use.

### 🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
145000010	Chlorine Granular 90%	1 kg	1	1	0.002
145000050	Chlorine Lent Granular 90%	5 kg	4	20	0.062
145000100	Chlorine Granular 90%	10 kg	1	10	0.031
145000250	Chlorine Lent Granular 90%	25 kg	1	25	0.033

## FAST CHLORINE V60

### ✓ Technical features

- Granular chlorine with 60% concentration
- Fast dissolving granules for a quick increase in chlorine levels
- Ideal for dosing pump injection



**Instructions:**

**Dosage rate:** 1.3 to 1.7lb per 10,000 gallons (150g/10m<sup>3</sup>). Sprinkle the granules directly onto the pool surface for fast acting treatment or pour into the skimmer. The filter system can remain on at all times. For commercial pools: Dilute to 2% (4.5lb in a 27 gallon tank of water) and then inject by dosing pump. Treat regularly and maintain a permanent chlorine rate of 2 to 4 ppm.

### 🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
165000010	Fast Chlorine V60	1 kg	1	1	0.002
165000050	Fast Chlorine V60	5 kg	4	20	0.062
165000100	Fast Chlorine V60	10 kg	1	10	0.031
165000250	Fast Chlorine V60	25 kg	1	25	0.033

## SHOCK CHLORINE 20G

### ✓ Technical features

- 20g tablet with 50% chlorine concentration
- Fast dissolving tablets, ideal to eliminate green or cloudy water



**Dosage rate:**

For shock treatment against algae, 7 to 10 pellets per 2,600 gallons (10m<sup>3</sup>). For quick chlorination, 1 pellet per 2,600 gallons. Chlorine level 1 ppm.

### 🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
135020010	Shock Chlorine 20g	1 kg	1	1	0.002
135020050	Shock Chlorine 20g	5 kg	4	20	0.062
135020100	Shock Chlorine 20g	10 kg	1	10	0.031
135020250	Shock Chlorine 20g	25 kg	1	20	0.033

# STABILIZED CHLORINE

## ACTIONS CHLORINE

### ✓ Description

- 5 action chlorine treatment
- Disinfection, algae control, flocculation, PH buffer and clarifying
- Destroys algae and prevents it from reproducing
- Improved filtration by the process of flocculation
- Provides the simplest method for water maintenance



#### Instructions:

1 tablet 250g per 6,600 gallons (25m<sup>3</sup>) of water, placed in the feeder or floating dispenser, every 4 to 6 days. The PH level should be maintained at 7.0 to 7.4 and the stabiliser level should be kept at under 75 ppm.

### 🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
155250012	5 Action Chlorine	1.25 kg	6	1.25	0.015
155250050	5 Action Chlorine	5 lt	4	20	0.062
155250100	5 Action Chlorine	10 kg	1	25	0.031
155250250	5 Action Chlorine	25 kg	1	25	0.033

## CHLORE LENT 250G

### ✓ Description

- Regular disinfection treatment to destroy all known micro-organisms including bacteria and fungus in the pool
- High chlorine content
- Slow dissolving, 250g stabilising tablets
- Compatible with all filtration systems
- Non-combustible



#### Instructions:

For residential pools, use 1 tablet 250g per 25m<sup>3</sup> of water. Treat every 7 to 10 days and place in the feeder of floating dispenser. Always maintain the chlorine level between 1.5 and 2mg/l and check the stabiliser content once a month (<75mg/l).

For public/commercial pools, use a dosing pump. Maintain the chlorine level above 2mg/l. Adjust the pH level to between 7.0 and 7.4 (pH 7.2 recommended). Check the stabiliser content every week and aim for 25 to 50mg/l. Never exceed 75mg/l.

### 🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m <sup>3</sup>
116250012	Chlorine Lent 250	1.25 kg	6	7.5	0.015
116250050	Chlorine Lent 250	5 lt	4	20	0.062
116250100	Chlorine Lent 250	10 kg	1	10	0.031
116250250	Chlorine Lent 250	25 kg	1	25	0.033



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



## Head Office

**AQUA S.p.A**  
42018 San Martino in Rio, Reggio Emilia  
Italy - Via Crotti, 1  
P: +39 0522 695805/85 - F: +39 0522 646160  
aqua@aqua.it | www.aqua.it



## Branches

**AQUA WATER SYSTEMS LTD**  
Unit 135 Oak Drive Hartlebury Trading Estate,  
Worcestershire, DY10 4JB  
P: +44 (0)1299 251050, F: +44 (0)1299 253704  
sales@askaqua.co.uk | www.askaqua.co.uk

**AQUA FILTRACION S.A.**  
Pol. Ind. Castellbisbal Sud 08755  
Castellbisbal, Barcelona  
P: +34 (0)93 7711855, F: +34 (0)93 7711772  
info@aqua.es | www.aqua.es

**AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.**  
Ferhatpasa Mahallesi Maresal Fevzi Cakmak  
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey  
P: +90 216 661 60 60, F: +90 216 661 68 50  
info@aqua.com.tr | www.aqua.com.tr

**AQUA S.p.A - POOL DIVISION**  
46043 Castiglione d. Stiviere, Mantova - Italy  
P: +39 0376 671973 - F: +39 0376 940139  
infopools@aqua.it | www.aqua.it

**AQUA MIDDLE EAST FZC**  
1J-07/4 and 1J-07/3 - Hamriyah Free Zone  
P.O.Box 42585 Sharjah - United Arab Emirates  
P: +971 6 526 0563, F: +971 6 526 0564  
contact@aqua-me.ae  
www.aqua-me.ae

**AQUA WATER SYSTEMS INDIA PVT LTD**  
4A/4B/4C-,Puttappa Industrial Estate  
Mahadevapura Post, White Field Road,  
Bangalore 560 048  
P: 0091 80 4152 1313, F: 0091 80 4152 1414  
contact@aquaindia.in | sales@aquaindia.in  
www.aquaindia.in

**AQUA GROUP RUS**  
Juridical Address:  
107014, Egerskaya str, 1, Moscow, Russia  
Residence Address:  
127081, Chermianskaya str, 3, Moscow, Russia  
P: +7 495 6458078, F: +7 495 969 2413  
mail@aqua-italy.ru | www.aqua-italy-ru  
www.aqua.it

**AQUA GROUP LLC**  
Office : Regus – Sarayat EL Maadi, Egypt  
Management & Warehouse : Plot no 2-2nd service  
axe, 2nd Industrial Zone, October, Egypt  
P: +20 2 3820 2259 | info@aqua.eg

