

WATER BALANCE

PH MINUS LIQUID

✓ Description

- Lowers the pH value in pools and spas
- Very high concentration of active ingredient
- No chloride ions generated
- Considerable easier to use compared to the powdered product
- Recommended for automated dosing pump injection



🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m ³
512000010	Liquid PH minus	1 L	6	6	0.012
512000070	Liquid PH minus	5 L	4	20	0.062
512000140	Liquid PH minus	10 L	2	20	0.062
512000280	Liquid PH minus	20 L	1	25	0.033

PH MINUS POWDER

✓ Description

- Lowers the pH value in pools and spas
- Fast dissolving powder for quick results
- Compatible with all types of pool water treatment
- Safer to use compared to the concentrated liquid form



Instructions:

Use 0.13lb per 2,600 gallons (150g/10m³) of water to lower the pH by 0.2 units. Always adjust pH levels over time (filtration or circulation) in increments of 0.2 pH. It is highly recommended to treat at intervals of 2 hours and without bathers present.

🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m ³
515000015	PH minus powder	1.5 kg	6	9	0.018
515000050	PH minus powder	5 kg	6	30	0.093
515000160	PH minus powder	16 kg	1	16	0.048
515000250	PH minus powder	25 kg	1	25	0.018

WATER BALANCE

PH PLUS LIQUID

✓ Description

- Raises the pH value in pools and spas
- Very high concentration of active ingredient
- Recommended for automated dosing pump injection



Instructions:

Use 3 fl.oz. (0.1l) pH PLUS liquid per 2,600 gallons (10m³) of water to raise the pH level by 0.5. Pour directly into the pool where the outlet(s) are located to encourage maximum circulation. The filtration system can be on as normal.

🔍 Products

CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m ³
522000010	Liquid PH plus	1 L	6	6	0.012
522000070	Liquid PH plus	5 L	4	20	0.062
522000140	Liquid PH plus	10 L	2	20	0.062
522000250	Liquid PH plus	20 L	1	25	0.018

PH PLUS POWDER

✓ Description

- Raises the pH value in pools and spas
- Fast dissolving powder for quick results
- Compatible with all types of pool water treatment
- Safer to use compared to the concentrated liquid form



Instructions:

Use 0.4lb per 2,600 gallons (200g/10m³) of water to raise the pH level by 0.5. Pour directly into the pool where the outlet(s) are located to encourage maximum circulation. The filtration system can be on as normal.

🔍 Products

CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m ³
525000010	PH plus powder	1 kg	6	6	0.012
525000050	PH plus powder	5 kg	4	20	0.062
525000100	PH plus powder	10 kg	1	20	0.062
525000250	PH plus powder	25 kg	1	25	0.033

WATER BALANCE

ALCAFIX RAISES FULL ALKALINITY

✓ Description

- Prevents any sudden changes in pH by increasing the alkalinity of the water
- The water alkalinity is measured by the TA*
 - If TA is too low (below 100 ppm), then the balance is unstable, the pH level drops down after adding pH Minus but then raises up automatically a few hours later
 - If the TA is too high (above 300 ppm), then pH minus will lower both the TA and pH
- Completely safe to use



Useful information:

pH is measured on a scale of 0 to 14

The pH displays the H⁺ ion concentration

For pools, we recommend a pH value of between 7.0 and 7.5 for two reasons:

- The bathers comfort – non-irritating water to the eyes and skin
- Highly effective disinfection


Chemical corrections pH with acidic pH MINUS or pH PLUS base, influence elements in water such as Calcium, Magnesium and minerals. These elements determine the hardness (TA) and alkalinity (TAC) and a natural balance can often be restored with the use of ALCAFIX.

Relationship: Chlorine/pH

Chlorine produces two chemical agents when dissolved in pool water:

- Sodium Hypochlorite (ClO) – Has no or very little disinfectant action
- Hypochlorous acid (HClO) – An active sanitiser in hypochlorite-based products

To the extent, permitted by regulation (pH 6.9 to 7.7) pH must be below 7.5 to benefit from the active chlorine levels.



🔍 Products

PRODUCT CODE	DESCRIPTION	CONTENTS	PACKING	WEIGHT kg	VOLUME m ³
535000010	Alcafix raises full alkalinity	1 L	6	6	0.012
535000050	Alcafix raises full alkalinity	5 L	4	20	0.062
535000100	Alcafix raises full alkalinity	10 L	2	20	0.062
535000250	Alcafix raises full alkalinity	25 L	1	25	0.033



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



Head Office

AQUA S.p.A
42018 San Martino in Rio, Reggio Emilia
Italy - Via Crotti, 1
P : +39 0522 695805/85 - F : +39 0522 646160
aqua@aqua.it | www.aqua.it

AQUA S.p.A - POOL DIVISION
46043 Castiglione d. Stiviere, Mantova - Italy
P : +39 0376 671973 - F : +39 0376 940139
infpools@aqua.it | www.aqua.it



Branches

AQUA WATER SYSTEMS LTD
Unit 135 Oak Drive Hartlebury Trading Estate,
Worcestershire, DY10 4JB
P : +44 (0)1299 251050, F : +44 (0)1299 253704
sales@askaqua.co.uk | www.askaqua.co.uk

AQUA FILTRACION S.A.
Pol. Ind. Castellbisbal Sud 08755
Castellbisbal, Barcelona
P : +34 (0)93 7711855, F : +34 (0)93 7711772
info@aqua.es | www.aqua.es

AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.
Ferhatpasa Mahallesi Maresal Fevzi Cakmak
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey
P : +90 216 661 60 60, F : +90 216 661 68 50
info@aqua.com.tr | www.aqua.com.tr

AQUA MIDDLE EAST FZC
1J-07/4 and 1J-07/3 - Hamriyah Free Zone
P.O.Box 42585 Sharjah - United Arab Emirates
P : +971 6 526 0563, F : +971 6 526 0564
contact@aqua-me.ae
www.aqua-me.ae

AQUA WATER SYSTEMS INDIA PVT LTD
4A/4B/4C-,Puttappa Industrial Estate
Mahadevapura Post, White Field Road,
Bangalore 560 048
P : 0091 80 4152 1313, F : 0091 80 4152 1414
contact@aquaindia.in | sales@aquaindia.in
www.aquaindia.in

AQUA GROUP RUS
Juridical Address:
107014, Egerskaya str, 1, Moscow, Russia
Residence Address:
127081, Chermianskaya str, 3, Moscow, Russia
P : +7 495 6458078, F : +7 495 969 2413
mail@aqua-italy.ru | www.aqua-italy-ru
www.aqua.it

AQUA GROUP LLC
Office : Regus – Sarayat EL Maadi, Egypt
Management & Warehouse : Plot no 2-2nd service
axe, 2nd Industrial Zone, October, Egypt
P : +20 2 3820 2259 | info@aqua.eg