

DISINFECTION 09/10

OXYGENATION & IONIZATION



✓ Technical features

- Chlorine free / salt free water sanitizer
- Implementing oxygen protection, copper ionization technology
- Sanitization through a propriety method of electrolysis whereby the water molecule is split to produce powerful oxidizers and secondary sanitation by releasing of copper ions into the water stream
- Vastly reduces chemical costs - no chlorine / salt additions to the water
- No chemical or by products - major improvement to human health
- Easy maintenance - weekly check of pH and copper residual only
- 2 years limited warranty on electronics and oxygen plates
- Only consumable is copper ionizer
- Electrodes life span: 12-24 months based on average use
- Free smart phone app detailing installation / maintenance and problem solving guide
- App featuring one touch service contact




🔍 Models

CODE	POWER	CAPACITY m ³	FLOW RATE m ³ /h	MAX. PRESSURE Bar	CONSUMPTION A	PACKING	WEIGHT kg	VOLUME m ³
MK-75	220V	75	20	8	2.5	1	7	0.05
MK-150	220V	150	40	8	2.5	1	10	0.06
MK-250	220V	250	60	8	7	1	35	0.16
MK-500	220V	500	120	8	14	1	70	0.16
MK-750	220V	750	160	8	21	1	105	0.16
MK-1000	220V	1000	240	8	28	1	140	0.16

MK7/CF1-75
FOR POOLS UP TO 75,000 LITRES

63mm electrodes chamber with 1 set of oxygen stack electrodes and 1 set of copper ionization electrodes



MK7/CF1-150
FOR POOLS UP TO 150,000 LITRES

90mm electrodes chamber with 1 set of oxygen stack electrodes and 1 set of copper ionization electrodes



MK7/CF1-250
FOR POOLS UP TO 250,000 LITRES

3 x 90mm oxygen stack electrode chambers
1 x 90mm double copper ionization electrode chamber



MK7/CF1-500
FOR POOLS UP TO 500,000 LITRES

6 x 90mm oxygen stack electrodes chambers
2 x 90mm double copper ionization electrode chambers



MK7/CF1-750
FOR POOLS UP TO 750,000 LITRES

9 x 90mm oxygen stack electrode chambers
3 x 90mm double copper ionization electrode chambers

OPTIONAL TOUCHSCREEN CONTROLLER



MK7/CF1-1000
FOR 5 POOLS UP TO 1 MILLION LITRES

12 x 90mm oxygen stack electrodes chambers
4 x 90mm double copper ionization electrodes chambers

DIGITAL CONTROLLER



DISINFECTION



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



Head Office

AQUA S.p.A

42018 San Martino in Rio, Reggio Emilia
Italy - Via Crotti, 1
P: +39 0522 695805/85 - F: +39 0522 646160
aqua@aqua.it | www.aqua.it

AQUA S.p.A - POOL DIVISION

46043 Castiglione d. Stiviere, Mantova - Italy
P: +39 0376 671973 - F: +39 0376 940139
infopools@aqua.it | www.aqua.it



Branches

AQUA WATER SYSTEMS LTD

Unit 135 Oak Drive Hartlebury Trading Estate,
Worcestershire, DY10 4JB
P: +44 (0)1299 251050, F: +44 (0)1299 253704
sales@askaqua.co.uk | www.askaqua.co.uk

AQUA FILTRACION S.A.

Pol. Ind. Castellbisbal Sud 08755
Castellbisbal, Barcelona
P: +34 (0)93 7711855, F: +34 (0)93 7711772
info@aqua.es | www.aqua.es

AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.

Ferhatpasa Mahallesi Maresal Fevzi Cakmak
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey
P: +90 216 661 60 60, F: +90 216 661 68 50
info@aqua.com.tr | www.aqua.com.tr

AQUA MIDDLE EAST FZC

1J-07/4 and 1J-07/3 - Hamriyah Free Zone
P.O.Box 42585 Sharjah - United Arab Emirates
P: +971 6 526 0563, F: +971 6 526 0564
contact@aqua-me.ae
www.aqua-me.ae

AQUA WATER SYSTEMS INDIA PVT LTD

4A/4B/4C-,Puttappa Industrial Estate
Mahadevapura Post, White Field Road,
Bangalore 560 048
P: 0091 80 4152 1313, F: 0091 80 4152 1414
contact@aquaindia.in | sales@aquaindia.in
www.aquaindia.in

AQUA GROUP RUS

Juridical Address:
107014, Egerskaya str, 1, Moscow, Russia
Residence Address:
127081, Chermianskaya str, 3, Moscow, Russia
P: +7 495 6458078, F: +7 495 969 2413
mail@aqua-italy.ru | www.aqua-italy.ru
www.aqua.it

AQUA GROUP LLC

Office : Regus – Sarayat EL Maadi, Egypt
Management & Warehouse : Plot no 2-2nd service
axe, 2nd Industrial Zone, October, Egypt
P: +20 2 3820 2259 | info@aqua.eg

DISINFECTION