

POOL COVERS 10/03

# POOL ENCLOSURE

## SISI

### ✓ Technical features

- A cost-effective and highly efficient pool cover system
- Fully flat rails without plastic covers
- Stainless steel, automatic locking system with an additional self-locking pin
- A leading modern and safe design - embedded in the beam profile
- Modern and safe
- A choice of reinforced profiles, including the standard 50mm x 40mm
- 10mm structured or full 4mm polycarbonate




### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
SISI	POOL ENCLOSURE	UP TO 650 CM	UP TO 650 CM

## DELI

### ✓ Technical features

- Cost-effective pool cover
- Low and elegant design
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- a modern and safe forefronts design - embedded in the beam profile
- possible choice of reinforced profiles - instead of standard profiles 50mm x 40mm
- Anthracite surface colour
- 10mm structured or full 4mm polycarbonate



### 🔍 Models


PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
DELI	Pool Enclosure	Up to 650 cm	Up to 650 cm

# POOL ENCLOSURE

## ORFEA

### ✓ Technical features

- Low cover with the dominant edges
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe high-end design - embedded in the beam profile
- Choice of reinforced profiles available - instead of standard profiles 50 x 40 mm
- 10 mm structured or full 4 mm polycarbonate




### Q Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
ORFEA	POOL ENCLOSURE	UP TO 1510 CM	UP TO 550 CM

## ZETA

### ✓ Technical features

- Low and elegant pool cover
- Cost-effective pool cover
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard profiles 50 x 40 mm
- Anthracite surface colour
- 10 mm structured or full 4 mm polycarbonate



### Q Models


PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
ZETA	POOL ENCLOSURE	UP TO 1510 CM	UP TO 500 CM

# POOL ENCLOSURE

## ZENZA 1

### ✓ Technical features

- Low and almost flat roofing
- Extra reinforced profiles with a cross section of 60 x 60 mm are used for the supporting part of the structure
- Flat track of new shape
- Guide rail only on one side
- Stainless automatic locking system
- Anthracite surface colour




### Q Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS		WIDTH
		LENGTH	WIDTH	
ZENZA1	Pool Enclosure	Up to 1510 cm	Up to 500 cm	From 40 cm

## RADA

### ✓ Technical features

- Flat guide rails AluDeck
- Low and distinctive cover
- Optional locking system BeUp – controlled by feed
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard
- profiles 50 x 40 mm (above inside width 401 cm in standard)
- Anthracite surface colour
- Forefronts and sides made of full polycarbonate
- already in the standard




### Q Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
RADA	Pool Enclosure	Up to 650 cm	Up to 650 cm

## LUCI

### ✓ Technical features

- Flat guide rails AluDeck
- Low and elegant cover
- Optional locking system BeUp – controlled by feed
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard profiles
- 50 x 40 mm (above inside width 401 cm in standard)
- Anthracite surface colour
- Forefronts and sides made of full polycarbonate
- already in the standard



### Q Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
LUCI	Pool Enclosure	Up to 1510 cm	Up to 500 cm

# POOL ENCLOSURE

## NIKOL

### ✓ Technical features

- For freedom of movement around the enclosed pool
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard profiles 50 x 40 mm
- Anthracite surface colour
- 10 mm structured or full 4 mm polycarbonate

### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
NIKOL	Pool Enclosure	Up to 1510 cm	Up to 550 cm




## JESICA

### ✓ Technical features

- For freedom of movement around the enclosed pool
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard profiles 50 x 40 mm
- Anthracite surface colour
- 10 mm structured or full 4 mm polycarbonate

### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
JESICA	Pool Enclosure	Up to 1510 cm	Up to 550 cm




## KELLY

### ✓ Technical features

- High walk-through cover with movement of modules on retaining wall
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of standard profiles 50 x 40 mm
- Anthracite surface colour
- 10 mm structured or full 4 mm polycarbonate

### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
KELLY	Pool Enclosure	Up to 1510 cm	Up to 600 cm



# POOL ENCLOSURE

## SUNNY

### ✓ Technical features

- High walk-through cover with movement of modules on retaining wall
- Fully flat tracks without plastic covers
- Stainless steel automatic locking - not only a self-locking pin
- A modern and safe forefronts design - embedded in the beam profile
- Possible choice of reinforced profiles - instead of
- Standard profiles 50 x 40 mm
- Anthracite surface colour
- 10 mm structured or full 4 mm polycarbonate



### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
SUNNY	Pool Enclosure	Up to 1510 cm	Up to 450 cm

## VIDAR

### ✓ Technical features

- Flat guide rails AluDeck
- Monorail version - guide rails AluDeck only on one side, second side always trackless
- Beams of 60 x 60 mm cross sections - robust
- support structure
- Reinforced snow-proof construction
- Double sealing between modules and rails to reduce heat leakage
- Safeguarding in adverse weather conditions
- Low, luxury cover
- Modern and safe forefronts design - embedded in the beam profile
- Anthracite surface colour
- Filling completely from full polycarbonate already in standard
- Joining methods without visible rivets and screws



### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
VIDAR	Pool Enclosure	Up to 1510 cm	Up to 600 cm

# POOL ENCLOSURE

## MEGAN XZ

### ✓ Technical features

- Flat guide rails AluDeck
- Guide rails AluDeck in wider performance
- Beams of 60 x 60 mm cross sections - robust
- Support structure
- Reinforced snow-proof construction
- Double sealing between modules and rails to reduce heat leakage
- Low, luxury cover
- Modern and safe forefronts design - embedded in the beam profile
- Anthracite surface colour
- Filling completely from full polycarbonate already in standard
- Joining methods without visible rivets and screws




### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
MEGAN XZ	Pool Enclosure	Up to 1510 cm	Up to 600 cm

## VIDARIUS XZ

### ✓ Technical features

- Flat guide rails AluDeck
- Monorail version - guide rails AluDeck only on one side, second side always trackless
- Beams of 60 x 60 mm cross sections - robust
- Support structure
- Reinforced snow-proof construction
- Double sealing between modules and rails to reduce heat leakage
- Safeguarding in adverse weather conditions
- Low, luxury cover
- Modern and safe forefronts design - embedded in the beam profile
- Anthracite surface colour
- Filling completely from full polycarbonate already in standard
- Joining methods without visible rivets and screws



### 🔍 Models


PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
VIDARIUS XZ	Pool Enclosure	Up to 1510 cm	Up to 600 cm

# POOL ENCLOSURE

## SUNNY XZ

### ✓ Technical features

- Flat guide rails AluDeck
- Guide rails AluDeck for bottom side, but also for upper guidance
- Beams of 60 x 60 mm cross sections - robust
- Support structure
- Reinforced snow-proof construction
- Double sealing between modules and rails to reduce heat leakage
- Safeguarding in adverse weather conditions
- Low, luxury cover
- Modern and safe forefronts design - embedded in the beam profile
- Anthracite surface colour
- Filling completely from full polycarbonate already in standard
- Joining methods without visible rivets and screws



### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
SUNNY XZ	Pool Enclosure	Up to 1510 cm	Up to 600 cm

## CUBE

### ✓ Technical features

- Elegant look
- Detachable and portable construction
- Anthracite surface color in a special offer



### 🔍 Models

PRODUCT CODE	DESCRIPTION	DIMENSIONS	
		LENGTH	WIDTH
CUBE	Pool Enclosure	Up to 383 cm	Up to 383 cm (Without supporting beam)



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



## Head Office

### AQUA S.p.A

42018 San Martino in Rio, Reggio Emilia  
Italy - Via Crotti, 1  
P: +39 0522 695805/85 - F: +39 0522 646160  
aqua@aqua.it | www.aqua.it

### AQUA S.p.A - POOL DIVISION

46043 Castiglione d. Stiviere, Mantova - Italy  
P: +39 0376 671973 - F: +39 0376 940139  
infopools@aqua.it | www.aqua.it



## Branches

### AQUA WATER SYSTEMS LTD

Unit 135 Oak Drive Hartlebury Trading Estate,  
Worcestershire, DY10 4JB  
P: +44 (0)1299 251050, F: +44 (0)1299 253704  
sales@askaqua.co.uk | www.askaqua.co.uk

### AQUA FILTRACION S.A.

Pol. Ind. Castellbisbal Sud 08755  
Castellbisbal, Barcelona  
P: +34 (0)93 7711855, F: +34 (0)93 7711772  
info@aqua.es | www.aqua.es

### AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.

Ferhatpasa Mahallesi Maresal Fevzi Cakmak  
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey  
P: +90 216 661 60 60, F: +90 216 661 68 50  
info@aqua.com.tr | www.aqua.com.tr

### AQUA MIDDLE EAST FZC

1J-07/4 and 1J-07/3 - Hamriyah Free Zone  
P.O.Box 42585 Sharjah - United Arab Emirates  
P: +971 6 526 0563, F: +971 6 526 0564  
contact@aqua-me.ae  
www.aqua-me.ae

### AQUA WATER SYSTEMS INDIA PVT LTD

4A/4B/4C-,Puttappa Industrial Estate  
Mahadevapura Post, White Field Road,  
Bangalore 560 048  
P: 0091 80 4152 1313, F: 0091 80 4152 1414  
contact@aquaindia.in | sales@aquaindia.in  
www.aquaindia.in

### AQUA GROUP RUS

Juridical Address:  
107014, Egerskaya str, 1, Moscow, Russia  
Residence Address:  
127081, Chermianskaya str, 3, Moscow, Russia  
P: +7 495 6458078, F: +7 495 969 2413  
mail@aqua-italy.ru | www.aqua-italy.ru  
www.aqua.it

### AQUA GROUP LLC

Office : Regus – Sarayat EL Maadi, Egypt  
Management & Warehouse : Plot no 2-2nd service  
axe, 2nd Industrial Zone, October, Egypt  
P: +20 2 3820 2259 | info@aqua.eg