

SAUNA & STEAM ROOMS 16/03 SAUNA HEATERS




'NORDIA' SAUNA HEATER

✓ Technical features

- Nordia sauna heater with intelligent digital controller
- Painted cold roll metal sheet or AISI-304 stainless steel (optional)
- Two sets of independent contacts for the thermostatic control and thermal cut out
- Temperature settings: 50-110°C or 122-230°F
- Intelligent sequential heating system
- Double overheating protection system for both sauna room and sauna heater
- Setting time: 0 - 12 hours
- Duration: 30 minutes to 12 hours
- LED diagnostic system
- Available in 3kW, 4kW, 4.5kW, 6kW, 8kW and 9kW
- Frequency: 50/60Hz

📏 Dimensions



TOUCH CONTROL PANEL
(Add 'x' at the end of the item code)

🔍 Models

PRODUCT CODE	POWER kW	SAUNA ROOM VOLUME m ³		CURRENT A		DIMENSIONS mm	PACKING	WEIGHT kg	VOLUME m ³
		MIN	MAX	230V 1N~	400V 3N~				
ND3	3.0	2	4	13.04	-	410 x 280 x 570	1	12	0.09
ND4	4.0	3	5	17.39	-	410 x 280 x 570	1	12	0.09
ND4.5	4.5	4	6	19.57	6.49	410 x 280 x 570	1	13	0.09
ND6	6.0	5	8	26.09	8.66	410 x 280 x 570	1	13	0.09
ND8	8.0	7	11	34.78	11.54	410 x 280 x 570	1	14	0.09
ND9	9.0	8	12	39.13	12.99	410 x 280 x 570	1	14	0.09
ND3X	3.0	2	4	13.04	-	410 x 280 x 570	1	12	0.09
ND4X	4.0	3	5	17.39	-	410 x 280 x 570	1	12	0.09
ND4.5X	4.5	4	6	19.57	6.49	410 x 280 x 570	1	13	0.09
ND6X	6.0	5	8	26.09	8.66	410 x 280 x 570	1	13	0.09
ND8X	8.0	7	11	34.78	11.54	410 x 280 x 570	1	14	0.09
ND9X	9.0	8	12	39.13	12.99	410 x 280 x 570	1	14	0.09

SAUNA & STEAM ROOMS 16/03 SAUNA HEATERS




'ZELMA' SAUNA HEATER

✓ Technical features

- Heavy duty sauna heater with stainless steel jacket
- Intelligent controller and separate control box
- Two sets of independent contacts for the thermostatic control and thermal cut out
- Temperature settings: 50-110°C or 122-230°F
- Intelligent sequential heating system
- Double overheating protection system for both sauna room and sauna heater
- LED diagnostic system, complies with the new CE standard
- Available in 9kW, 10.5kW, 12kW, 14.1kW, 16.2kW, 18kW and 20.1kW
- Frequency: 50/60Hz

📏 Dimensions



CONTROL BOX



TEMPERATURE SENSOR



CONTROL PANEL




TOUCH CONTROL PANEL
(Add 'x' at the end of the item code)

🔍 Models

PRODUCT CODE	POWER kW	SAUNA ROOM VOLUME m ³		CURRENT A		DIMENSIONS mm	PACKING	WEIGHT kg	VOLUME m ³
		MIN	MAX	230V 1N~	400V 3N~				
ZL10.5	10.5	9	15	45.65	15.15	485 x 562 x 656	1	29	0.20
ZL12	12	10	18	52.18	17.32	485 x 562 x 656	1	29	0.20
ZL14.1	14.1	13	23	61.31	20.35	485 x 562 x 656	1	31	0.20
ZL16.2	16.2	17	29	70.44	23.38	485 x 562 x 656	1	31	0.20
ZL18	18	18	32	78.26	25.97	704 x 562 x 656	1	41	0.28
ZL20.1	20.1	20	34	87.39	29.00	704 x 562 x 656	1	41	0.28
ZL10.5X	10.5	9	15	45.65	15.15	485 x 562 x 656	1	29	0.20
ZL12X	12	10	18	52.18	17.32	485 x 562 x 656	1	29	0.20
ZL14.1X	14.1	13	23	61.31	20.35	485 x 562 x 656	1	31	0.20
ZL16.2X	16.2	17	29	70.44	23.38	485 x 562 x 656	1	31	0.20
ZL18X	18	18	32	78.26	25.97	704 x 562 x 656	1	41	0.28
ZL20.1X	20.1	20	34	87.39	29.00	704 x 562 x 656	1	41	0.28

SAUNA & STEAM ROOMS 16/03 SAUNA HEATERS





UNDER BENCH SAUNA HEATER

✓ Technical features

- High efficiency heater designed to be neatly hidden behind the seating panels
- Incoloy 840 heat element with independent sauna rock holder
- Good quality heater
- Intelligent controller with separate control box
- 2 sets of independent contacts for the thermostatic control and thermal cut out
- Temp setting: 50-110°C or 122-230°F
- Intelligent sequential heating system
- Double overheating protection system for both sauna room and sauna heater

📏 Dimensions



TOUCH CONTROL PANEL
(Add 'x' at the end of the item code)

🔍 Models

PRODUCT CODE	POWER kW	CURRENT A		SAUNA ROOM VOLUME m ³		DIMENSIONS mm	PACKING	WEIGHT kg	VOLUME m ³
		230V 1N~	400V 3N~	MIN	MAX				
UBSH6	6	26.09	8.66	6	8	1300 x 225 x 850	1	39	0.28
UBSH7.5	7.5	32.61	10.82	7	12	1300 x 225 x 850	1	39	0.28
UBSH9	9	39.13	12.99	9	14	1300 x 225 x 850	1	39	0.28
UBSH10.5	10.5	45.65	15.15	12	26	1300 x 225 x 850	1	41	0.28
UBSH12	12	52.18	17.32	14	18	1300 x 225 x 850	1	41	0.28
UBSH13.5	13.5	58.70	19.48	16	20	1300 x 225 x 850	1	41	0.28
UBSH6X	6	26.09	8.66	6	8	1300 x 225 x 850	1	39	0.28
UBSH7.5X	7.5	32.61	10.82	7	12	1300 x 225 x 850	1	39	0.28
UBSH9X	9	39.13	12.99	9	14	1300 x 225 x 850	1	39	0.28
UBSH10.5X	10.5	45.65	15.15	12	26	1300 x 225 x 850	1	41	0.28
UBSH12X	12	52.18	17.32	14	18	1300 x 225 x 850	1	41	0.28
UBSH13.5X	13.5	58.70	19.48	16	20	1300 x 225 x 850	1	41	0.28



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



Head Office

AQUA S.p.A
42018 San Martino in Rio, Reggio Emilia
Italy - Via Crotti, 1
P: +39 0522 695805/85 - F: +39 0522 646160
aqua@aqua.it | www.aqua.it

AQUA S.p.A - POOL DIVISION
46043 Castiglione d. Stiviere, Mantova - Italy
P: +39 0376 671973 - F: +39 0376 940139
infpools@aqua.it | www.aqua.it



Branches

AQUA WATER SYSTEMS LTD
Unit 135 Oak Drive Hartlebury Trading Estate,
Worcestershire, DY10 4JB
P: +44 (0)1299 251050, F: +44 (0)1299 253704
sales@askaqua.co.uk | www.askaqua.co.uk

AQUA FILTRACION S.A.
Pol. Ind. Castellbisbal Sud 08755
Castellbisbal, Barcelona
P: +34 (0)93 7711855, F: +34 (0)93 7711772
info@aqua.es | www.aqua.es

AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.
Ferhatpasa Mahallesi Maresal Fevzi Cakmak
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey
P: +90 216 661 60 60, F: +90 216 661 68 50
info@aqua.com.tr | www.aqua.com.tr

AQUA MIDDLE EAST FZC
1J-07/4 and 1J-07/3 - Hamriyah Free Zone
P.O.Box 42585 Sharjah - United Arab Emirates
P: +971 6 526 0563, F: +971 6 526 0564
contact@aqua-me.ae
www.aqua-me.ae

AQUA WATER SYSTEMS INDIA PVT LTD
4A/4B/4C-,Puttappa Industrial Estate
Mahadevapura Post, White Field Road,
Bangalore 560 048
P: 0091 80 4152 1313, F: 0091 80 4152 1414
contact@aquaindia.in | sales@aquaindia.in
www.aquaindia.in

AQUA GROUP RUS
Juridical Address:
107014, Egerskaya str, 1, Moscow, Russia
Residence Address:
127081, Chermianskaya str, 3, Moscow, Russia
P: +7 495 6458078, F: +7 495 969 2413
mail@aqua-italy.ru | www.aqua-italy-ru
www.aqua.it

AQUA GROUP LLC
Office : Regus – Sarayat EL Maadi, Egypt
Management & Warehouse : Plot no 2-2nd service
axe, 2nd Industrial Zone, October, Egypt
P: +20 2 3820 2259 | info@aqua.eg