

## FOUNTAIN NOZZLES 20/02


# FOUNTAIN NOZZLES

### LAMINAR JET

The laminar jumping fountain, produces smooth and clean jets of water in an arch shaped column without creating spray or splashes. The jets can be set to a specific track and can rotate vertically to produce a column of water with heights of up to 4m and a distance of 3.5m




### Dimensions



### Models

PRODUCT CODE	FL-15 (150)	FL-25 (250)
DIMENSION	205 x 150 x 310 mm	300 x 250 x 470 mm
LIGHT TYPE	RGB	RGB
JET DIAMETER	Ø12 mm	Ø12 mm
VOLUME	1300 L/H	1300 L/H
PUMP	120 W	140 W
MATERIAL	St St. AISI 304 L	St St. AISI 304 L
WEIGHT	3.6 kg	9.8 kg
Rotating RANGE	180°	180°
EXTERNAL CONTROLLER	NO	NO
WATER QUALITY REQUIREMENT	CLEAN	CLEAN




FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES


## JUMPING JET

### Dimensions



### Models

PRODUCT CODE	FL-SO28
DIMENSION	330 x 280 x 590 mm
LIGHT TYPE	RGB
JET DIAMETER	$\varnothing 14$ mm
VOLUME	16000 L/H
PUMP	140 W
MATERIAL	304
WEIGHT	18 kg
ROTATERING RANGE	120°
EXTERNAL CONTROLLER	YES
WATER QUALITY REQUIREMENT	CLEAN



FOUNTAIN NOZZLES

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## STRAIGHT IN SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0001	1-1/2"	50-100	25-35	5-10	1-1.5	1450	STAINLESS STEEL AISI304
AQN0002	2"	100-150	30-40	8-10	1-1.5	1630	
AQN0003	2-1/2"	100-150	40-50	8-12	1.5-3.5	2980	
AQN0004	3"	150-200	50-60	12-15	2-4	3600	

## MANY BRANCH JADE CHOPSTICK SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0005	1-1/2"	60-100	2-4	0.5-2	PARABOLA	280	STAINLESS STEEL AISI304
AQN0006	3/4"	80-100	4-9	1-3	PARABOLA	415	
AQN0007	1"	180-250	8-15	1.5-4	PARABOLA	565	
AQN0008	1-1/2"	250-290	15-20	2-5	PARABOLA	685	
AQN0009	2"	320-350	22-26	3-8	PARABOLA	725	

FOUNTAIN NOZZLES

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## ADJUSTABLE JADE CHOPSTICK SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0010	1"	50-100	6-12	1.5-5.5	0.5-0.8	285	STAINLESS STEEL AISI304
AQN0011	1-1/2"	50-200	10-15	2-7	0.6-1.0	505	

## MUSHROOM NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0012	1/2"	20-40	1	0.2	0.3	245	STAINLESS STEEL AISI304
AQN0013	3/4"	30-40	1.5	0.25	0.5	325	
AQN0014	1"	30-50	2	0.25	0.6	380	
AQN0015	1-5"	50-60	3	0.3	0.7	450	
AQN0016	2"	60-70	4	0.3	0.8	560	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## STRAIGHT IN SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0017	3/4"	50-100	2-5	0.2-0.4	0.1-0.3	170	STAINLESS STEEL AISI304
AQN0018	1"	50-100	3.5-8	0.3-0.5	0.2-0.4	235	
AQN0019	1-1/2"	50-100	10-18	0.4-0.8	0.3-0.5	435	
AQN0020	3"	60-150	17-25	0.4-0.8	0.3-0.6	780	

## PHOENIX FLOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0022	3/4"	50-70	2-4	2-3	RAY	450	STAINLESS STEEL AISI304
AQN0023	1"	50-80	5-8	2-3	RAY	830	
AQN0024	1-1/2"	50-15	7-10	2-3	RAY	1200	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## DIRECTIONAL TOWER CEDAR NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0025	1/2"	40-200	2-4	1-4	0.2	147	STAINLESS STEEL AISI304
AQN0026	3/4"	40-200	2-4	1-4	0.2	147	
AQN0027	1"	40-200	6-10	1-4	0.3	400	
AQN0028	1-1/2"	50-330	8-20	1-8	0.6	880	
AQN0029	2"	50-400	12-25	1-10	1.0	1260	
AQN0030	3"	80-550	18-35	1-15	2.0	2480	

## DIRECTIONAL TOWER CEDAR NOZZLE




### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0031	3/4"	40-200	2-4	2-4	0.2	245	STAINLESS STEEL AISI304
AQN0032	1"	40-200	6-10	1-6	0.3	470	
AQN0033	1-1/2"	50-330	8-20	1-8	0.6	875	
AQN0034	2"	50-400	12-25	1-10	1.0	1285	
AQN0035	3"	50-450	21-50	1-12	1.5	4155	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## ADJUSTABLE FAN-SHAPED NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0036	3/4"	30-50	2-3	0.2-0.6	0.4-0.8	420	STAINLESS STEEL AISI304
AQN0037	1"	30-80	4-8	0.3-0.8	0.6-1.2	675	
AQN0038	1-1/2"	30-80	10-18	0.5-1.0	0.8-1.5	725	
AQN0039	3"	60-120	24-26	1.0-2.3	1.5-2.5	800	

## FIREWORKS SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0040	1"	40-100	7-10	2-3.5	2-3	505	STAINLESS STEEL AISI304
AQN0041	1-1/2"	50-100	9-13	2-4	2.5-4	530	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## SPIRAL FOG NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0042	1/2"	40-80	0.2-0.5	1-2	0.5-1	65	STAINLESS STEEL AISI304
AQN0043	3/4"	40-80	0.3-1	1-3	1-2	105	
AQN0044	1"	40-80	1-1.2	1-3	1-3	165	

## STYLE SHOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0045	1"	50-100	2-4	2-3	2-3	395	STAINLESS STEEL AISI304
AQN0046	1-1/2"	40-200	60-120	2-4	2-4	605	
AQN0047	2"	50-330	70-130	2-4	2-4	785	



FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES


## BUBBLE NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0048	1"	50-100	3.5-8	0.3-0.5	0.2-0.4	265	STAINLESS STEEL AISI304
AQN0049	1-1/2"	50-100	10-18	0.4-0.8	0.3-0.6	420	

## ADJUSTABLE JADE CHOPSTICK SHOWER NOZZLE




### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	WEIGHT g	MATERIALS
AQN0050	1"	50-120	0.2-0.5	3	620	STAINLESS STEEL AISI304
AQN0051	1.5"	50-120	3.0-7.0	4	480	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## PETUNIA NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0052	1"	5-8	3	0.25	0.6	365	STAINLESS STEEL AISI304
AQN0053	1-1/2"	6-10	4	0.4	1.0	520	
AQN0054	2"	6-10	7	0.5	1.5	840	

## FOLD SILVER MUSHROOM NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	WEIGHT g	MATERIALS
AQN0055	1"	50-120	0.2-0.5	3	620	STAINLESS STEEL AISI304
AQN0056	1.5"	50-120	3.0-7.0	4	480	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES


## ROTATING SPRAYING NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0057	1"	75	3.5	3	1.0-1.5	730	STAINLESS STEEL AISI304
AQN0058	1-1/2"	100	10	4	1.5-2.5	965	
AQN0059	2"	150	18	5	1.5-4.0	1410	

## HOT WHEEL NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0060	1"	75	3.5	3	1.0-1.5	730	STAINLESS STEEL AISI304
AQN0061	1-1/2"	100	10	4	1.5-2.5	965	
AQN0062	2"	150	18	5	1.5-4.0	1410	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## ROTATING SPRAYING NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0063	1"	75	3.5	3	1.0-1.5	730	STAINLESS STEEL AISI304
AQN0064	1-1/2"	100	10	4	1.5-2.5	965	
AQN0065	2"	150	18	5	1.5-4.0	1410	

## FULL STAINLESS STEEL EUROPE STYLE NOZZLE




### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0066	1"	60-180	3.6-6.0	2.7	0.3-0.8	2200	STAINLESS STEEL AISI304
AQN0067	1.5"	100-250	4-8	3.5	0.5-1	2400	
AQN0068	1-5"	200-300	4-8	6	1-1.2	2600	
AQN0069	2"	250-500	5-10	10	1.2-2	2800	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## ADJUSTABLE THREE FLOWER NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0071	1"	100-200	15-20	3-6	0.3-0.5	760	STAINLESS STEEL AISI304
AQN0072	1.5"	120-200	23-33	5-7	0.6-0.8	800	

## COLLECTING STRAIGHT IN NOZZLE




### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	WEIGHT g	MATERIALS
AQN0073	1"	50-120	2.0-6.0	0.4-1.2	480	STAINLESS STEEL AISI304
AQN0074	1.5"	50-150	3.0-8.0	0.5-1.5	620	

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## JADE WITH SILVER MUSHROOM



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	WEIGHT g	MATERIALS
AQN0075	1"	50-120	2.0-6.0	0.4-1.2	480	STAINLESS STEEL AISI304
AQN0076	1.5"	50-150	3.0-8.0	0.5-1.5	620	

## DANDELION CRYSTAL BALL NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	NOTES	MATERIALS
AQN0078	1"	60-100	8	0.4	0.6	800	31	STAINLESS STEEL AISI304
AQN0079	1-1/2"	80-100	10	0.5	0.8	4500	41	
AQN0080	2"	80-100	13	0.7	1.0	13800	65	
AQN0081	3"	80-100	30	1.0	0.8	31000	105	

FOUNTAIN NOZZLES

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## EUROPE STYLE NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g	MATERIALS
AQN0082	1"	60-180	3.6-6.0	2.7	0.3-0.8	1650	STAINLESS STEEL AISI304

## ADJUSTABLE DIRECTED HIGH NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	WEIGHT g	MATERIALS
AQN0083	M10	50-100	0.1-0.5	1-3	40	STAINLESS STEEL AISI304
AQN0084	1/2"	50-150	0.3-1.5	1-6	90	
AQN0085	3/4"	50-150	1-3	1-8	145	
AQN0086	1"	50-150	2-4	3-12	180	
AQN0087	1-1/2"	50-150	3-6	3-15	535	
AQN0088	2"	50-150	5-8	3-20	750	
AQN0089	2-1/2"	50-200	6-10	4-20	800	
AQN0090	3"	50-250	8-12	5-30	900	
AQN0091	4"	50-300	10-16	6-40	1000	

FOUNTAIN NOZZLES

FOUNTAIN NOZZLES 20/02

# FOUNTAIN NOZZLES

## NEW ROTATING NOZZLE



### Models

PRODUCT CODE	CONNECTIONS	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g
AQN0092	Dn40	150-450	29	2-5	3	200
AQN0093	Dn50	150-450	38	2-6	3.5	300
AQN0094	Dn65	150-450	47	2.5-8	4	400

## FAN-SHAPED NOZZLE



### Models

PRODUCT CODE	JOINT SIZE	PRESSURE kpa	DISCHARGE m <sup>3</sup> /hr	SPRAY HEIGHT mtr	COVER DIAMETER mtr	WEIGHT g
AQN0095	Dn50	150-350	16.5	3-10	2	300





Your global partner since 1974. Trusted for superior quality and exceptional innovations.



## Head Office

### AQUA S.p.A

42018 San Martino in Rio, Reggio Emilia  
Italy - Via Crotti, 1  
P: +39 0522 695805/85 - F: +39 0522 646160  
aqua@aqua.it | www.aqua.it

### AQUA S.p.A - POOL DIVISION

46043 Castiglione d. Stiviere, Mantova - Italy  
P: +39 0376 671973 - F: +39 0376 940139  
infopools@aqua.it | www.aqua.it



## Branches

### AQUA WATER SYSTEMS LTD

Unit 135 Oak Drive Hartlebury Trading Estate,  
Worcestershire, DY10 4JB  
P: +44 (0)1299 251050, F: +44 (0)1299 253704  
sales@askaqua.co.uk | www.askaqua.co.uk

### AQUA FILTRACION S.A.

Pol. Ind. Castellbisbal Sud 08755  
Castellbisbal, Barcelona  
P: +34 (0)93 7711855, F: +34 (0)93 7711772  
info@aqua.es | www.aqua.es

### AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.

Ferhatpasa Mahallesi Maresal Fevzi Cakmak  
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey  
P: +90 216 661 60 60, F: +90 216 661 68 50  
info@aqua.com.tr | www.aqua.com.tr

### AQUA MIDDLE EAST FZC

1J-07/4 and 1J-07/3 - Hamriyah Free Zone  
P.O.Box 42585 Sharjah - United Arab Emirates  
P: +971 6 526 0563, F: +971 6 526 0564  
contact@aqua-me.ae  
www.aqua-me.ae

### AQUA WATER SYSTEMS INDIA PVT LTD

4A/4B/4C-Puttappa Industrial Estate  
Mahadevapura Post, White Field Road,  
Bangalore 560 048  
P: 0091 80 4152 1313, F: 0091 80 4152 1414  
contact@aquaindia.in | sales@aquaindia.in  
www.aquaindia.in

### AQUA GROUP RUS

Juridical Address:  
107014, Egerskaya str, 1, Moscow, Russia  
Residence Address:  
127081, Chermianskaya str, 3, Moscow, Russia  
P: +7 495 6458078, F: +7 495 969 2413  
mail@aqua-italy.ru | www.aqua-italy.ru  
www.aqua.it

### AQUA GROUP LLC

Office : Regus – Sarayat EL Maadi, Egypt  
Management & Warehouse : Plot no 2-2nd service  
axe, 2nd Industrial Zone, October, Egypt  
P: +20 2 3820 2259 | info@aqua.eg