

ELECTRICAL EQUIPMENT 04/31

RECESSED LED POOL LIGHT WITH LENS


Recessed LED underwater luminaire designed for swimming pool applications.



✓ Technical features

- Body constructed with SS316 material.
- Luminaire equipped with OSRAM LED emitters.
- IP 68 grade light, integrated constant-current driver and over-current protection.
- Optical performance includes 60° beam angle and color rendering index Ra ≥ 83.
- Customized options available with 15°/30° & 45° Beam angle.
- Operating temperature range -20 to 48°C.
- Supplied with 2.5 Meter cable.
- CE, RoHS, and ISO 9001:2015 quality management standards.


📏 Dimensions




AQ-030-W / AQ-030-WW / AQ-030-WJRGB



RC-11




AQ-031-W / AQ-031-WW / AQ-031-RGB




RC-12

CONTROLLER FOR AC LIGHT



AQ-032-W / AQ-032-W



RC-04



RC-05

CONTROLLER FOR DC LIGHT

Models

CODE	DESCRIPTION	POWER W-V	DIAMETER MM	LUMENS LM	BEAM ANGLE	COLOR TEMP K	NET WEIGHT kg	VOLUME M ³
AQ-030-W	SS 316 UW Recessed LED Light - White	9W-12V AC	110	737	60	6000-6500	0.95	0.001953
AQ-030-WW	SS 316 UW Recessed LED Light - Warm White	9W - 12V AC	110	583	60	2800-3000	0.95	0.001953
AQ-030-RGB	SS 316 UW Recessed LED Light - RGB	9W - 12V AC	110	261	60	4000-4500	0.95	0.001953
AQ-030H-W	SS 316 UW Recessed LED Light - White	18W - 12VAC	110	1150	60	6000-6500	0.95	0.001953
AQ-030H-WW	SS 316 UW Recessed LED Light - Warm White	18W - 12VAC	110	997	60	2800-3000	0.95	0.001953
AQ-030H-RGB	SS 316 UW Recessed LED Light - RGB	18W - 12VAC	110		60	4000-4500	0.95	0.001953
AQ-031-W	SS 316 UW Recessed LED Light - White	25W - 12V AC	160	1580	60	6000-6500	1.5	0.003219
AQ-031-WW	SS 316 UW Recessed LED Light - Warm White	25W - 12V AC	160	1147	60	2800-3000	1.5	0.003219
AQ-031-RGB	SS 316 UW Recessed LED Light - RGB	25W - 12V AC	160	887	60	4000-4500	1.5	0.003219
AQ-032-W	SS 316 UW Recessed LED Light - White	30W - 12VAC	195	1962	60	6000-6500	2	0.004620
AQ-032-WW	SS 316 UW Recessed LED Light - Warm White	30W - 12VAC	195	1602	60	2800-3000	2	0.004620
AQ-032-RGB	SS 316 UW Recessed LED Light - RGB	30W - 12VAC	195	1026	60	4000-4500	2	0.004620

CODE	DESCRIPTION	POWER W-V	DIAMETER MM	LUMENS LM	BEAM ANGLE	COLOR TEMP K	NET WEIGHT kg	VOLUME M ³
AQ-030-W-DC	SS 316 UW Recessed LED Light - White	9W-12V DC	110	737	60	6000-6500	0.95	0.001953
AQ-030-WW-DC	SS 316 UW Recessed LED Light - Warm White	9W - 12V DC	110	583	60	2800-3000	0.95	0.001953
AQ-030-RGB-DC	SS 316 UW Recessed LED Light - RGB	9W - 12V DC	110	261	60	4000-4500	0.95	0.001953
AQ-030H-W-DC	SS 316 UW Recessed LED Light - White	18W - 12V DC	110	1150	60	6000-6500	0.95	0.001953
AQ-030H-WW-DC	SS 316 UW Recessed LED Light - Warm White	18W - 12V DC	110	997	60	2800-3000	0.95	0.001953
AQ-030H-RGB-DC	SS 316 UW Recessed LED Light - RGB	18W - 12V DC	110		60	4000-4500	0.95	0.001953
AQ-031-W-DC	SS 316 UW Recessed LED Light - White	25W - 12V DC	160	1580	60	6000-6500	1.5	0.003219
AQ-031-WW-DC	SS 316 UW Recessed LED Light - Warm White	25W - 12V DC	160	1147	60	2800-3000	1.5	0.003219
AQ-031-RGB-DC	SS 316 UW Recessed LED Light - RGB	25W - 12V DC	160	887	60	4000-4500	1.5	0.003219
AQ-032-W-DC	SS 316 UW Recessed LED Light - White	30W - 12V DC	195	1962	60	6000-6500	2	0.004620
AQ-032-WW-DC	SS 316 UW Recessed LED Light - Warm White	30W - 12V DC	195	1602	60	2800-3000	2	0.004620
AQ-032-RGB-DC	SS 316 UW Recessed LED Light - RGB	30W - 12V DC	195	1026	60	4000-4500	2	0.004620

Controller

CODE	DESCRIPTION	VOLTAGE (V)		POWER W	WIFI
		IN	OUT		
RC-11	AC RGB LED light controller with remote	220-240 VAC	220-240 VAC	600	NO
RC-12	AC RGB LED light controller with remote and Wi-Fi control	220-240 VAC	220-240 VAC	600	YES
RC-03	DC RGB LED light controller with remote	12/24 VDC	12/24 VDC	288/576	NO
RC-04	DC RGB LED light controller amplifier	12/24 VDC	12/24 VDC	144/288	NO



Your global partner since 1974. Trusted for superior quality and exceptional innovations.



Head Office

AQUA S.p.A

42018 San Martino in Rio, Reggio Emilia
Italy - Via Crotti, 1
P : +39 0522 695805/85 - F : +39 0522 646160
aqua@aqua.it | www.aqua.it

AQUA S.p.A - POOL DIVISION

46043 Castiglione d. Stiviere, Mantova - Italy
P : +39 0376 671973 - F : +39 0376 940139
infpools@aqua.it | www.aqua.it



Branches

AQUA WATER SYSTEMS LTD

Unit 135 Oak Drive Hartlebury Trading Estate,
Worcestershire, DY10 4JB
P : +44 (0)1299 251050, F : +44 (0)1299 253704
sales@askaqua.co.uk | www.askaqua.co.uk

AQUA FILTRACION S.A.

Pol. Ind. Castellbisbal Sud 08755
Castellbisbal, Barcelona
P : +34 (0)93 7711855, F : +34 (0)93 7711772
info@aqua.es | www.aqua.es

AQUA SU ARITIMI SAN. VE MUH. TIC. LTD. STI.

Ferhatpasa Mahallesi Maresal Fevzi Cakmak
Cad. No:45 Pk.34888 Atasehir / Istanbul - Turkey
P : +90 216 661 60 60, F : +90 216 661 68 50
info@aqua.com.tr | www.aqua.com.tr

AQUA MIDDLE EAST FZC

1J-07/4 and 1J-07/3 - Hamriyah Free Zone
P.O.Box 42585 Sharjah - United Arab Emirates
P : +971 6 526 0563, F : +971 6 526 0564
contact@aqua-me.ae
www.aqua-me.ae

AQUA WATER SYSTEMS INDIA PVT LTD

4A/4B/4C-,Puttappa Industrial Estate
Mahadevapura Post, White Field Road,
Bangalore 560 048
P : 0091 80 4152 1313, F : 0091 80 4152 1414
contact@aquaindia.in | sales@aquaindia.in
www.aquaindia.in

AQUA GROUP RUS

Juridical Address:
107014, Egerskaya str, 1, Moscow, Russia
Residence Address:
127081, Chermianskaya str, 3, Moscow, Russia
P : +7 495 6458078, F : +7 495 969 2413
mail@aqua-italy.ru | www.aqua-italy-ru
www.aqua.it

AQUA GROUP LLC

Office : Regus – Sarayat EL Maadi, Egypt
Management & Warehouse : Plot no 2-2nd service
axe, 2nd Industrial Zone, October, Egypt
P : +20 2 3820 2259 | info@aqua.eg